



PICO
pocket projector

PK201



PK201... Start sharing today and pocket a Pico

Project your multimedia on almost any surface, up to 70" in size, straight from the palm of your hand with the PK201 Pocket Pico Projector.

Show off stunning images and videos to family and friends without them having to crowd around your smart phone's tiny screen. Impress clients or classmates alike with PowerPoint® presentations thanks to the built-in media player with MicroSD card slot.

Convenient Mini HDMI, VGA and AV inputs allow you to connect to existing equipment such as netbooks and laptops, iPod® and iPhone®, digital cameras, DVD players and even games consoles.

With its rechargeable battery giving up to 1.5 hours of use from a single charge, there's plenty of time to share and enjoy your multimedia. From spontaneous presentations, fun photo slideshows, to your favourite video clips, the PK201 handles them all, anywhere and instantly.


PK201 - Portable projection - for work and play



Making presentations



Sharing holiday photos



Playing games



Watching movies



Ultra-Portable:

Superb mobile performance; its compact and ultra-lightweight design is ideal for people on the move. Take it out of your pocket and project for up to 1.5 hours on a single charge.



Point and Project:

Add multimedia files to your MicroSD card, pop it into the integrated card slot and start beaming stunning images, up to 70" in size, straight from your pocket and into the palm of your hand.



Extensive Connectivity:

Connect via Mini-HDMI you can achieve the sharpest image possible. The PK201 accepts a wide variety of computer and video inputs including; VGA, Composite and Component and there's even a USB input for convenient file transfers and battery recharging. Sound is catered for from the integrated built-in speakers and external audio connections means you can further enhance the visual experience.



Widescreen Resolution:

Bring photos, videos, PowerPoint® presentations and websites to life in WWGA (854 x 480) widescreen resolution.




Green Technology:












The PK201 uses energy efficient LEDs to minimise running costs, extend life and minimise the impact on the environment.



Image up to **70"** in size



PK201

FILE FORMATS		CONNECTIONS		SPECIFICATIONS	
	Powerpoint® .ppt, .pptx		MicroSD Card Slot (up to 32GB)		61 x 118 x 17mm (W x D x H)
	avi, wmv, asf, 3gp, 3g2, .dat, mpg, mpeg, mov, mp4, m4v, rm, rmvb, ogm, flv		Mini HDMI - HDMI Input Universal I/O - VGA Input (cable supplied) AV In - Composite and Audio Input L&R RCA (cable supplied) Audio Out - Mini Jack		Up to 1.5 hours* (ECO mode)
	jpg, tiff, gif, png, bmp, tga, tpx, pcx, pcd, psd			Micro USB - file transfer & charging (cable supplied)	
PowerPoint® and video file playback require a Windows® PC using supplied software for file conversion and transfer to the PK201. (Mac not supported)		Devices require a suitable video output (HDMI/VGA/Composite) for use with the Optoma Pico.			0.13 - 1.78m (5 - 70")
					0.5W Speaker

CONTENTS



PK201



USB Cable



Carry Case



VGA Cable



Battery




AV Cable



**Power Adapter
(EU & UK)**

OPTIONAL ACCESSORIES



Nokia® Connection Kit
N79, N82, N85, N95, N96, C7



Tripod



Apple® Connection Kit
iPhone, iPod®



www.optomapico.co.uk

© 2010 Optoma Europe Ltd.

Optoma® is a registered trademark of Optoma Europe Ltd. DLP® and the DLP logo are registered trademarks of Texas Instruments. PowerPoint® is a registered trademark of Microsoft Corporation. iPod® & iPhone® are registered trademarks of Apple Inc. PSP3000 & GO are registered trademarks of Sony® Inc. Nokia® is a registered trademark of Nokia Corporation. All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. *Typical battery life achieved through testing. Will vary according to operational use and environment conditions. Specifications are subject to change without notice, errors and omissions excepted. Some images may be simulated.

